## OESOPHAGEAL PERFORATION Supporting information

## This guideline has been prepared with reference to the following guidelines:

Ben Aoun J, Gasmi M, Jemai R et al. latrogenic esophageal perforation in the neonate. Tunis Med. 2012;90:72-4

Su BH, Lin HY, Chiu HY et al. Esophageal perforation: a complication of nasogastric tube placement in premature infants. J Pediatr. 2009;154:460

Filippi L, Pezzati M, Poggi C. Use of polyvinyl feeding tubes and iatrogenic pharyngo-oesophageal perforation in very-low-birthweight infants. Acta Paediatr. 2005;94:1825-8

Abadir J, Emil S, Nguyen N. Abdominal foregut perforations in children: a 10-year experience. J Pediatr Surg. 2005;40:1903-7

Emil SG. Neonatal esophageal perforation. J Pediatr Surg. 2004;39:1296-8

Al-Khawahur HA, Al-Salem AH. latrogenic perforation of the esophagus. Saudi Med J. 2002; 23: 732-4

Sapin E, Gumpert L, Bonnard A et al. latrogenic pharyngoesophageal perforation in premature infants. Eur J Pediatr Surg. 2000;10:83-7

Grünebaum M, Horodniceanu C, Wilunsky E et al. latrogenic transmural perforation of the oesophagus in the preterm infant. Clin Radiol. 1980;31:257-61

Lynch FP, Coran AG, Cohen SR et al. Traumatic esophageal pseudodiverticula in the newborn. J Pediatr Surg. 1974;9:675-81

Last amended October 2019
Last reviewed December 2021